

PneuExtensio: Designing Pneumatic-based Bodily Extensions to Facilitate Embodiment across Everyday Life Experiences

Aryan Saini
aryan@exertiongameslab.org
Exertion Games Lab, Department of
Human-Centred Computing
Exertion Games Lab, Department of
Human-Centred Computing, Monash
University
Melbourne, Australia

Elise van den Hoven
elise.vandenhoven@uts.edu.au
University of Technology Sydney
Sydney, Australia
Eindhoven University of Technology
Eindhoven, Netherlands

Florian 'Floyd' Mueller
floyd@exertiongameslab.org
Exertion Games Lab, Department of
Human-Centred Computing
Exertion Games Lab, Department of
Human-Centred Computing, Monash
University
Melbourne, Australia




Figure 1: Bodily extensions enabled by PneuExtensio: A) "Pardon" that moves the ear forward when the user says, "Beg your pardon?"; B) Pneuocchio that extends the nose whenever the user lies, and C) "Take a break" that pushes the user's hand away from the keyboard to help facilitate taking a break from work.

ABSTRACT

Bodily augmentations have been increasingly investigated by HCI researchers due to the associated benefits, such as accessibility, offering novel input space, and sensing environment. Most of these investigations have adopted a utilitarian perspective, providing impairment, mobility, and rehabilitation support. However, more recently a subset called bodily extensions has emerged that appears to also embrace experiential aspects. These bodily extensions physically extend the human body, going beyond traditional sensing and accessibility perspectives. Initial designs were mostly rigid, leading to a focus on short-term use, missing out on the opportunities for these bodily extensions to be integrated into everyday life. In our work, we build soft pneumatic-based bodily extensions

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

DIS Companion '24, July 01–05, 2024, IT University of Copenhagen, Denmark

© 2024 Copyright held by the owner/author(s).

ACM ISBN 979-8-4007-0632-5/24/07

<https://doi.org/10.1145/3656156.3665136>

that users can incorporate into their everyday lives. We detail the design and rationale behind these bodily extensions, along with the novel scenarios they enable. We share our insights from creating these systems and the associated user experiences from our field study with 48 participants, resulting in a design framework that will hopefully aid future designers in facilitating embodiment across everyday life through bodily extensions.

CCS CONCEPTS

• **Human-centered computing** → *Human computer interaction (HCI)*; Interaction paradigms;

KEYWORDS

bodily extensions, pneumatics, embodied interactions, embodied experiences

ACM Reference Format:

Aryan Saini, Elise van den Hoven, and Florian 'Floyd' Mueller. 2024. PneuExtensio: Designing Pneumatic-based Bodily Extensions to Facilitate Embodiment across Everyday Life Experiences. In *Designing Interactive Systems*

Conference (DIS Companion '24), July 01–05, 2024, IT University of Copenhagen, Denmark. ACM, New York, NY, USA, 5 pages. <https://doi.org/10.1145/3656156.3665136>

1 INTRODUCTION

Bodily augmentations have recently garnered interest in HCI for example they can offer novel input spaces around the user's body [4], support accessibility [48], and sense environmental cues [23]. While current bodily augmentations appear to take a utilitarian approach [23, 24, 28–31], there have been advances around a subset called "bodily extensions" that physically extend the wearer's body while also embracing experiential aspects [7, 20, 33, 40]. So far, these bodily extensions generally feature a rigid design that limits their potential to support everyday life. We believe if bodily extensions were designed such that they could support everyday life, they could exploit their potential for both instrumental and experiential aspects much more through facilitating embodiment. However, unfortunately, there seems to be only minimal knowledge on how to design these bodily extensions that are more body-conform such that a user can benefit from them in everyday life. In order to begin addressing this gap, we answer the research question: how do we design body-conform bodily extensions to support embodiment across everyday life?

Supporting embodiment in everyday life experiences is important as it can have numerous benefits, such as speech production, memory recall, and temporal perception [10–12, 26, 27, 32]. Hence, we aim to contribute to the knowledge of designing such systems by analyzing the creation of a set of bodily extensions that users can benefit from in their everyday lives and studying the associated user experiences. To support body conformity, we employed a pneumatic-based shape-changing design approach in order to support everyday wearability.

To answer the question above, we conducted two case studies (one focusing on leveraging contextual cues to trigger the bodily extensions, and the other on physiological cues from the user) with a series of bodily extensions discussed in section 3.

2 RELATED WORK

In this section, we discuss relevant prior work on embodied interaction, bodily augmentations, and pneumatic interfaces.

2.1 Embodied Interaction

While previous research indicates that there are various lenses on the application of embodied theory [14, 22, 44], in our work, we aim to explore the role of technology in an attempt to facilitate embodiment in everyday life scenarios. As a result, we talk about creations primarily centred around leveraging or eliciting bodily movement [2, 27, 45], similar to the tangible interfaces field that also aims to leverage or elicit bodily movements, but does through tangibles (whereas we do this through the body) [44].

2.2 Bodily Augmentations

Bodily augmentations have been explored mostly in the form of prosthetics [8], interactive textiles [43], and shape-changing interfaces [18]. These have been centred around sensing [1, 25] and feedback [3] mechanisms that often leverage the location of a body

part to deliver contextual information. We focus on bodily extensions that are catered towards facilitating unusual experiences as a part of the user's body and, hence, learned from prior work that investigated the perception of one's body under the influence of a bodily extension [7].

2.3 Pneumatic Interfaces

Pneumatic interfaces have been increasingly explored due to their soft nature, occupying less space, and being lightweight in comparison to their traditional counterparts in applications such as VR [42], accessibility [48] and haptic feedback [19], however, not in regards to bodily extensions (with a few exceptions [18, 41]). Fortunately, there have been several advances in lowering the threshold for the design of pneumatic interfaces in the form of rapid prototyping techniques [17], toolkits [47] and frameworks [15]. We leveraged this knowledge to create pneumatic-based bodily extensions to facilitate embodiment across everyday life.

3 RESEARCH METHODS

We outline our research methods, starting with iterative design, user elicitation study, field study and semi-structured interviews, and thematic analysis.

Iterative Design. Design researchers have long adopted the iterative approach for prototyping systems [21]. This method allows the designer to reflect on each iteration and improve upon the next one. We employed iterative design as it complemented our rapid prototyping skills.

User Elicitation Study. A user elicitation study offers unique insights into the design of the bodily extensions as well as helps to reaffirm the design methods adopted [13, 16, 46]. This method was employed in the form of a 40-minute session with users to gauge their understanding and perception of the system and offered key insights about how the bodily extensions would be perceived by onlookers lacking the context.

Field Study and Semi-Structured Interviews. Since we wanted to create bodily extensions that can be worn by users across everyday life, we deemed it to be important to evaluate the experience in an unsupervised setting [9, 34]. We conducted four field studies with 12 participants each for a duration of seven days followed by a semi-structured interview [5]. We employed a semi-structured technique to allow users to express their thoughts and gather information about novel situations that have arisen during the field study.

Thematic Analysis. After conducting the semi-structured interviews, we used inductive thematic analysis for analysing the qualitative data [6, 39]. This method enabled us to form themes that assisted in creating a framework and guidelines for designers aiming to facilitate embodiment across everyday life through pneumatic-based bodily extensions.

4 DESIGNING BODILY EXTENSIONS

4.1 Case Study 1: Leveraging contextual cues to support movement across everyday life through bodily extensions

We implemented three unique bodily extensions aiming to support movement as a form of embodiment across the following everyday life scenarios: 1) "Pardon?": Moving a user's ear forward and enlarging it whenever the system senses the words "Beg your pardon?" (through a smartphone's microphone) (Fig 1A); 2) Greetings: Promoting a good-bye gesture by moving the user's hand towards such a gesture if the system senses the words "good-bye"; 3) Take a break: Moving the user's hands away from the keyboard to encourage a break from typing (Fig 1C). We demonstrated two different inputs, speech and an automated timer (user configurable) to leverage the context around a user [35–37].

4.2 Case Study 2: Leveraging physiological cues from the user's body to facilitate bodily awareness across everyday life through bodily extensions

In our first case study, we found that the bodily extensions, while promoting movement, also helped participants become more aware of their bodies. However, this awareness primarily extended outwards, aiding them in understanding their body's response to environmental contexts. In our second case study, we shifted our focus to explore how these bodily extensions affect users when the input transitions from contextual (related to the environment) to physiological cues (related to their own bodies). This shift aims to gain insights into the users' perception of self and the physical construction of their bodies.

Pneunocchio. Pneunocchio's design is inspired by the story of Pinocchio, where the character's nose elongates whenever he lies. In our adaptation, we created a pneumatic nose-based bodily extension that responds to the user's physiological activities indicative of lying using Electrodermal Activity (EDA) and Photoplethysmography (PPG) (Fig 1B). Our design's playfulness is intended to spark discussions about the nature of lying and its physiological indicators, as well as to challenge and transform the user's perception of their body when the nose-based extension inflates [38].

PneuMusculus. PneuMusculus is designed to reflect the activity of specific muscle groups as a result of physical exercise, such as when working out, which is represented through a pneumatic-based bodily extension that resembles (much accelerated) muscle growth. The system measures a muscle's electrical activity and inflates the bodily extension accordingly. PneuMusculus can sense the duration and intensity of electrical activity in the user's biceps and calves. It then inflates the corresponding bodily extension proportionally to this activity in terms of time and size. This bodily extension aims to inform users about their muscular activity and offer a tangible representation of the exertion performed.

PneuBelly. PneuBelly is a bodily extension designed to capture the sound activity in the abdomen, known as stomach rumbling or

borborygmus, to promote awareness of the user's abdominal activities throughout the day. It is a pneumatic-based device that users can wear around their stomach. The device inflates in response to the intensity and frequency of sounds emanating from the abdomen. Calibrated to detect sounds as low as 10 dB, PneuBelly aims to provide a tangible representation of the auditory signals, helping users learn about the functioning of their gut.

5 CONTRIBUTION AND BENEFIT

The goal of this PhD is to advance the design of bodily extensions that facilitate embodiment across everyday life. By experimenting with various materials and synthesizing the findings from our two case studies, we plan to develop a set of design strategies for researchers designing similar augmentations. Following these case studies, our aim is to establish a user experience framework informed by field studies involving 48 participants, based on the design of our bodily extensions that respond to contextual and physiological input.

ACKNOWLEDGMENTS

Aryan Saini, Elise van den Hoven and Florian 'Floyd' Mueller thank the Australian Research Council (DP190102068). Florian 'Floyd' Mueller also thanks the Australian Research Council for DP200102612 and LP210200656.

REFERENCES

- [1] Jumpei Arata, Masashi Hattori, Shohei Ichikawa, and Masamichi Sakaguchi. 2014. Robotically Enhanced Rubber Hand Illusion. *IEEE Transactions on Haptics* 7, 4 (Oct. 2014), 526–532. <https://doi.org/10.1109/TOH.2014.2304722> Conference Name: IEEE Transactions on Haptics.
- [2] Saskia Bakker, Alissa N. Antle, and Elise Van Den Hoven. 2012. Embodied metaphors in tangible interaction design. *Personal and Ubiquitous Computing* 16, 4 (April 2012), 433–449. <https://doi.org/10.1007/s00779-011-0410-4>
- [3] Arpit Bhatia, Dhruv Kundu, Suyash Agarwal, Varnika Kairon, and Aman Parnami. 2021. Soma-noti: Delivering Notifications Through Under-clothing Wearables. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems (CHI '21)*. Association for Computing Machinery, New York, NY, USA, 1–8. <https://doi.org/10.1145/3411764.3445123>
- [4] Arpit Bhatia, Aryan Saini, Isha Kalra, Manideepa Mukherjee, and Aman Parnami. 2023. DUMask: A Discrete and Unobtrusive Mask-Based Interface for Facial Gestures. In *Proceedings of the Augmented Humans International Conference 2023 (AHs '23)*. Association for Computing Machinery, New York, NY, USA, 255–266. <https://doi.org/10.1145/3582700.3582726>
- [5] Ann Blandford, Dominic Furniss, and Stephann Makri. 2016. *Qualitative HCI Research: Going Behind the Scenes*. Morgan & Claypool Publishers.
- [6] Virginia Braun and Victoria Clarke. 2006. Using thematic analysis in psychology. *Qualitative Research in Psychology* 3, 2 (Jan. 2006), 77–101. <https://doi.org/10.1191/1478088706qp0630a> Publisher: Routledge _eprint: <https://www.tandfonline.com/doi/pdf/10.1191/1478088706qp0630a>.
- [7] Oguz 'Oz' Buruk, Louise Petersen Matjeka, and Florian 'Floyd' Mueller. 2023. Towards Designing Playful Bodily Extensions: Learning from Expert Interviews. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems*. ACM, Hamburg Germany, 1–20. <https://doi.org/10.1145/3544548.3581165>
- [8] Azzurra Chiri, Nicola Vitiello, Francesco Giovacchini, Stefano Roccella, Fabrizio Vecchi, and Maria Chiara Carrozza. 2012. Mechatronic Design and Characterization of the Index Finger Module of a Hand Exoskeleton for Post-Stroke Rehabilitation. *IEEE/ASME Transactions on Mechatronics* 17, 5 (Oct. 2012), 884–894. <https://doi.org/10.1109/TMECH.2011.2144614> Conference Name: IEEE/ASME Transactions on Mechatronics.
- [9] Sandy Claes, Niels Wouters, Karin Slegers, and Andrew Vande Moere. 2015. Controlling In-the-Wild Evaluation Studies of Public Displays. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems (CHI '15)*. Association for Computing Machinery, New York, NY, USA, 81–84. <https://doi.org/10.1145/2702123.2702353>
- [10] Sharice Clough and Melissa C. Duff. 2020. The Role of Gesture in Communication and Cognition: Implications for Understanding and Treating Neurogenic

- Communication Disorders. *Frontiers in Human Neuroscience* 14 (Aug. 2020), 323. <https://doi.org/10.3389/fnhum.2020.00323>
- [11] Susan Wagner Cook, Terina KuangYi Yip, and Susan Goldin-Meadow. 2010. Gesturing makes memories that last. *Journal of Memory and Language* 63, 4 (2010), 465–475. <https://doi.org/10.1016/j.jml.2010.07.002>
- [12] Katinka Dijkstra, Michael P. Kaschak, and Rolf A. Zwaan. 2007. Body posture facilitates retrieval of autobiographical memories. *Cognition* 102, 1 (Jan. 2007), 139–149. <https://doi.org/10.1016/j.cognition.2005.12.009>
- [13] Haiwei Dong, Nadia Figueroa, and Abdulmoteleb El Saddik. 2015. An Elicitation Study on Gesture Attitudes and Preferences Towards an Interactive Hand-Gesture Vocabulary. In *Proceedings of the 23rd ACM international conference on Multimedia (MM '15)*. Association for Computing Machinery, New York, NY, USA, 999–1002. <https://doi.org/10.1145/2733373.2806385>
- [14] Paul Dourish. 2001. Where the Action Is: The Foundations of Embodied Interaction. –256.
- [15] Shreyosi Endow, Hedieh Moradi, Anvay Srivastava, Esau G Noya, and Cesar Torres. 2021. Compressables: A Haptic Prototyping Toolkit for Wearable Compression-based Interfaces. In *Designing Interactive Systems Conference 2021 (DIS '21)*. Association for Computing Machinery, New York, NY, USA, 1101–1114. <https://doi.org/10.1145/3461778.3462057>
- [16] Priya Ganapathi and Keyur Sorathia. 2019. Elicitation Study of Body Gestures for Locomotion in HMD-VR Interfaces in a Sitting-Position. In *Proceedings of the 12th ACM SIGGRAPH Conference on Motion, Interaction and Games (MIG '19)*. Association for Computing Machinery, New York, NY, USA, 1–10. <https://doi.org/10.1145/3359566.3360059>
- [17] Radhika Ghosal, Bhavika Rana, Ishan Kapur, and Aman Parnami. 2019. Rapid Prototyping of Pneumatically Actuated Inflatable Structures. In *Adjunct Proceedings of the 32nd Annual ACM Symposium on User Interface Software and Technology (UIST '19 Adjunct)*. Association for Computing Machinery, New York, NY, USA, 78–80. <https://doi.org/10.1145/3332167.3357121>
- [18] Sebastian Günther, Mohit Makhija, Florian Müller, Dominik Schön, Max Mühlhäuser, and Markus Funk. 2019. PneumAct: Pneumatic Kinesthetic Actuation of Body Joints in Virtual Reality Environments. In *Proceedings of the 2019 on Designing Interactive Systems Conference (DIS '19)*. Association for Computing Machinery, New York, NY, USA, 227–240. <https://doi.org/10.1145/3322276.3322302>
- [19] Sebastian Günther, Dominik Schön, Florian Müller, Max Mühlhäuser, and Martin Schmitz. 2020. PneumoVolley: Pressure-based Haptic Feedback on the Head through Pneumatic Actuation. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems (CHI EA '20)*. Association for Computing Machinery, New York, NY, USA, 1–10. <https://doi.org/10.1145/3334480.3382916>
- [20] Kate Hartman, Boris Kourtoukov, Izzie Colpitts-Campbell, and Erin Lewis. 2020. Monarch V2: An Iterative Design Approach to Prototyping a Wearable Electronics Project. In *Proceedings of the 2020 ACM Designing Interactive Systems Conference (Eindhoven, Netherlands) (DIS '20)*. Association for Computing Machinery, New York, NY, USA, 2215–2227. <https://doi.org/10.1145/3357236.3395573>
- [21] Hiroshi Ishii, Minoru Kobayashi, and Kazuho Arita. 1994. Iterative design of seamless collaboration media. *Commun. ACM* 37, 8 (Aug. 1994), 83–97. <https://doi.org/10.1145/179606.179687>
- [22] KirshDavid. 2013. Embodied cognition and the magical future of interaction design. *ACM Transactions on Computer-Human Interaction (TOCHI)* (April 2013). <https://doi.org/10.1145/2442106.2442109> Publisher: ACM PUB27 New York, NY, USA.
- [23] Pedro Lopes, Sijing You, Alexandra Ion, and Patrick Baudisch. 2018. Adding Force Feedback to Mixed Reality Experiences and Games using Electrical Muscle Stimulation. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI '18)*. Association for Computing Machinery, New York, NY, USA, 1–13. <https://doi.org/10.1145/3173574.3174020>
- [24] Shreyas Nisal, Rakesh Patibanda, Aryan Saini, Elise Van Den Hoven, and Florian 'Floyd' Mueller. 2022. TouchMate: Understanding the Design of Body Actuating Games using Physical Touch. In *Extended Abstracts of the 2022 Annual Symposium on Computer-Human Interaction in Play (CHI PLAY '22)*. Association for Computing Machinery, New York, NY, USA, 153–158. <https://doi.org/10.1145/3505270.3558332>
- [25] Jun Nishida, Soichiro Matsuda, Hiroshi Matsui, Shan-Yuan Teng, Ziwei Liu, Kenji Suzuki, and Pedro Lopes. 2020. HandMorph: a Passive Exoskeleton that Miniaturizes Grasp. In *Proceedings of the 33rd Annual ACM Symposium on User Interface Software and Technology (UIST '20)*. Association for Computing Machinery, New York, NY, USA, 565–578. <https://doi.org/10.1145/3379337.3415875>
- [26] Nathalie Overvest, Rakesh Patibanda, Aryan Saini, Elise Van Den Hoven, and Florian 'Floyd' Mueller. 2023. Towards Designing for Everyday Embodied Remembering: Findings from a Diary Study. In *Proceedings of the 2023 ACM Designing Interactive Systems Conference (DIS '23)*. Association for Computing Machinery, New York, NY, USA, 2611–2624. <https://doi.org/10.1145/3563657.3595999>
- [27] Nathalie Overvest, Rakesh Patibanda, Aryan Saini, Elise Van Den Hoven, and Florian 'Floyd' Mueller. 2024. GazeAway: Designing for Gaze Aversion Experiences. In *Extended Abstracts of the 2024 CHI Conference on Human Factors in Computing Systems* (<conf-loc> <city>Honolulu</city> <state>HI</state> <country>USA</country> </conf-loc>) (CHI EA '24). Association for Computing Machinery, New York, NY, USA, Article 177, 6 pages. <https://doi.org/10.1145/3613905.3650771>
- [28] Rakesh Patibanda, Chris Hill, Aryan Saini, Xiang Li, Yuzheng Chen, Andrii Matviienko, Jarrod Knibbe, Elise van den Hoven, and Florian 'Floyd' Mueller. 2023. Auto-Paizo Games: Towards Understanding the Design of Games That Aim to Unify a Player's Physical Body and the Virtual World. *Proc. ACM Hum.-Comput. Interact.* 7, CHI PLAY, Article 408 (oct 2023), 26 pages. <https://doi.org/10.1145/3611054>
- [29] Rakesh Patibanda, Xiang Li, Yuzheng Chen, Aryan Saini, Christian N Hill, Elise van den Hoven, and Florian Floyd Mueller. 2021. Actuating Myself: Designing Hand-Games Incorporating Electrical Muscle Stimulation. In *Extended Abstracts of the 2021 Annual Symposium on Computer-Human Interaction in Play (CHI PLAY '21)*. Association for Computing Machinery, New York, NY, USA, 228–235. <https://doi.org/10.1145/3450337.3483464>
- [30] Rakesh Patibanda, Nathalie Overvest, Aryan Saini, Zhuying Li, Josh Andres, Jarrod Knibbe, Elise van den Hoven, and Florian 'Floyd' Mueller. 2024. Exploring Shared Bodily Control: Designing Augmented Human Systems for Intra- and Inter-Corporeality. In *Proceedings of the Augmented Humans International Conference 2024* (<conf-loc> <city>Melbourne</city> <state>VIC</state> <country>Australia</country> </conf-loc>) (AHS '24). Association for Computing Machinery, New York, NY, USA, 318–323. <https://doi.org/10.1145/3652920.3653037>
- [31] Rakesh Patibanda, Aryan Saini, Nathalie Overvest, Maria F. Montoya, Xiang Li, Yuzheng Chen, Shreyas Nisal, Josh Andres, Jarrod Knibbe, Elise van den Hoven, and Florian 'Floyd' Mueller. 2023. Fused Spectatorship: Designing Bodily Experiences Where Spectators Become Players. *Proc. ACM Hum.-Comput. Interact.* 7, CHI PLAY, Article 403 (oct 2023), 34 pages. <https://doi.org/10.1145/3611049>
- [32] Rakesh Patibanda, Nathan Arthur Semertzidis, Michaela Scary, Joseph Nathan La Delfa, Josh Andres, Mehmet Aydin Baytaş, Anna Lisa Martin-Niedecken, Paul Strohmeyer, Bruno Fruchard, Sang-won Leigh, Elisa D. Mekler, Suranga Nanayakkara, Josef Wiemeyer, Nadia Berthouze, Kai Kunze, Thanassis Rikakis, Aisling Kelliher, Kevin Warwick, Elise van den Hoven, Florian Floyd Mueller, and Steve Mann. 2020. Motor Memory in HCI. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems (CHI EA '20)*. Association for Computing Machinery, New York, NY, USA, 1–8. <https://doi.org/10.1145/3334480.3375163>
- [33] Victoria Peng. 2021. Wigglears: Wiggle Your Ears With Your Emotions. In *Extended Abstracts of the 2021 CHI Conference on Human Factors in Computing Systems (CHI EA '21)*. Association for Computing Machinery, New York, NY, USA, 1–5. <https://doi.org/10.1145/3411763.3451846>
- [34] Champika Ranasinghe, Max Pfeiffer, Sven Heitmann, and Christian Kray. 2019. Evaluating User Experience under Location Quality Variations: A Framework for in-the-wild Studies. In *Proceedings of the 21st International Conference on Human-Computer Interaction with Mobile Devices and Services (MobileHCI '19)*. Association for Computing Machinery, New York, NY, USA, 1–6. <https://doi.org/10.1145/3338286.3344392>
- [35] Aryan Saini, Haotian Huang, Rakesh Patibanda, Nathalie Overvest, Elise Van Den Hoven, and Florian Floyd Mueller. 2022. SomaFlatables: Supporting Embodied Cognition through Pneumatic Bladders. In *Adjunct Proceedings of the 35th Annual ACM Symposium on User Interface Software and Technology (Bend, OR, USA) (UIST '22 Adjunct)*. Association for Computing Machinery, New York, NY, USA, Article 19, 4 pages. <https://doi.org/10.1145/3526114.3558705>
- [36] Aryan Saini, Rakesh Patibanda, Nathalie Overvest, Elise Van Den Hoven, and Florian 'Floyd' Mueller. 2024. PneuMa: Designing Pneumatic Bodily Extensions for Supporting Movement in Everyday Life. In *Proceedings of the Eighteenth International Conference on Tangible, Embedded, and Embodied Interaction* (<conf-loc> <city>Cork</city> <country>Ireland</country> </conf-loc>) (TEI '24). Association for Computing Machinery, New York, NY, USA, Article 1, 16 pages. <https://doi.org/10.1145/3623509.3633349>
- [37] Aryan Saini, Rakesh Patibanda, Nathalie Overvest, Elise Van Den Hoven, and Florian 'Floyd' Mueller. 2024. PneuMa: Designing Pneumatic Bodily Extensions for Supporting Movement in Everyday Life. In *Extended Abstracts of the 2024 CHI Conference on Human Factors in Computing Systems* (<conf-loc> <city>Honolulu</city> <state>HI</state> <country>USA</country> </conf-loc>) (CHI EA '24). Association for Computing Machinery, New York, NY, USA, Article 645, 4 pages. <https://doi.org/10.1145/3613905.3649125>
- [38] Aryan Saini, Srihari Sridhar, Aarushi Raheja, Rakesh Patibanda, Nathalie Overvest, Po-Yao (Cosmos) Wang, Elise Van Den Hoven, and Florian Floyd Mueller. 2023. Pneuocchio: A playful nose augmentation for facilitating embodied representation. In *Adjunct Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology* (<conf-loc> <city>San Francisco</city> <state>CA</state> <country>USA</country> </conf-loc>) (UIST '23 Adjunct). Association for Computing Machinery, New York, NY, USA, Article 40, 3 pages. <https://doi.org/10.1145/3586182.3616651>
- [39] Jonathan A. Smith. 2015. Qualitative Psychology : A Practical Guide to Research Methods. *Qualitative Psychology* (2015), 1–312. <https://www.torrossa.com/en/resources/am/5018480> Publisher: SAGE Publications Ltd.

- [40] Dag Svanæs and Louise Barkhuus. 2020. The Designer's Body as Resource in Design: Exploring Combinations of Point-of-view and Tense. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems*. ACM, Honolulu HI USA, 1–13. <https://doi.org/10.1145/3313831.3376430>
- [41] Marie Louise Juul Søndergaard, Ozgun Kilic Afsar, Marianela Ciolfi Felice, Nadia Campo Woytuk, and Madeline Balaam. 2020. Designing with Intimate Materials and Movements: Making "Menarche Bits". In *Proceedings of the 2020 ACM Designing Interactive Systems Conference (DIS '20)*. Association for Computing Machinery, New York, NY, USA, 587–600. <https://doi.org/10.1145/3357236.3395592>
- [42] Shan-Yuan Teng, K. D. Wu, Jacqueline Chen, and Pedro Lopes. 2022. Prolonging VR Haptic Experiences by Harvesting Kinetic Energy from the User. In *Proceedings of the 35th Annual ACM Symposium on User Interface Software and Technology (UIST '22)*. Association for Computing Machinery, New York, NY, USA, 1–18. <https://doi.org/10.1145/3526113.3545635>
- [43] Daniela Ghanbari Vahid, Lee Jones, Audrey Girouard, and Lois Frankel. 2021. Shape Changing Fabric Samples for Interactive Fashion Design. In *Proceedings of the Fifteenth International Conference on Tangible, Embedded, and Embodied Interaction*. ACM, Salzburg Austria, 1–7. <https://doi.org/10.1145/3430524.3440633>
- [44] Jelle van Dijk and Caroline Hummels. 2017. Designing for Embodied Being-in-the-World: Two Cases, Seven Principles and One Framework. In *Proceedings of the Eleventh International Conference on Tangible, Embedded, and Embodied Interaction (TEI '17)*. Association for Computing Machinery, New York, NY, USA, 47–56. <https://doi.org/10.1145/3024969.3025007>
- [45] Dirk van Erve, Gerrit-Willem Vos, Elise van den Hoven, and David Frohlich. 2011. Cueing the past: designing embodied interaction for everyday remembering. In *Proceedings of the Second Conference on Creativity and Innovation in Design (DESIRE '11)*. Association for Computing Machinery, New York, NY, USA, 335–345. <https://doi.org/10.1145/2079216.2079264>
- [46] Ruowei Xiao, Sangwon Jung, Oguz 'Oz' Buruk, and Juho Hamari. 2022. Exploring the Player Experiences of Wearable Gaming Interfaces: A User Elicitation Study. *Proceedings of the ACM on Human-Computer Interaction* 6, CHI PLAY (Oct. 2022), 234:1–234:26. <https://doi.org/10.1145/3549497>
- [47] Lining Yao, Ryuma Niiyama, Jifei Ou, Sean Follmer, Clark Della Silva, and Hiroshi Ishii. 2013. PneuUI: pneumatically actuated soft composite materials for shape changing interfaces. In *Proceedings of the 26th annual ACM symposium on User interface software and technology (UIST '13)*. Association for Computing Machinery, New York, NY, USA, 13–22. <https://doi.org/10.1145/2501988.2502037>
- [48] Xinlei Zhang, Ali Shtarbanov, Jiani Zeng, Valerie K. Chen, V. Michael Bove, Pattie Maes, and Jun Rekimoto. 2019. Bubble: Wearable Assistive Grasping Augmentation Based on Soft Inflatables. In *Extended Abstracts of the 2019 CHI Conference on Human Factors in Computing Systems*. ACM, Glasgow Scotland Uk, 1–6. <https://doi.org/10.1145/3290607.3312868>